

KL1300BS Cardboard cutter

It is an upgrading model KL1300BS. Two sets of KL1300B cardboard cutter machines are connected together via the transfer belt which can finish board cutting work two times in the same process. It is mainly used for cutting cardboard, grey board, etc. which is necessary for hardcovers and package cases.

Features:

1. Large sheet is feed by hand; Narrow sheet is fed by Mechanical feeder.
2. Durable Alloy knives, 7 sets, available for various size boards.
3. The crusher could smash the waste into small size and convey them out of the machine by belt.
4. with a 2-meter conveyor belt for collecting.
5. The safety cover is designed according to European CE standard.
6. Automatic distance guide(optional)






Auto feeder

It adopts bottom-drawn feeder which feed the material without stopping. It's available to feed small size of board.



Waste crusher

Made of 38CrMoAl advanced nitriding steel(hardness 70), synchronous cutting, durable.



7 sets Quality knives

Adopt alloy round knives, durable which reduce the abrasion and improve the cutting efficiency



Automatic distance Guide(optional)

The distance of cut can be set in touch screen. According to the setting, the guide can automatically move to the position without measuring.




Widened knife holder

Prevent the offset, make the slitting more stable




Fine adjustment

32 equal parts adjustment for the pusher, make the setting easier and faster.

 **RONGDA**
www.rongdapackage.com

Production Flow



Main technical parameter:

Model	KL1300BS
Cardboard width	$W \leq 1400\text{mm}$, $L=750-1220\text{mm}$ $W1=150-450\text{mm}$, $W2 \geq 85\text{mm}$
Cardboard thickness	1-4mm
Mechanical speed	$\leq 30\text{ sheets/min}$
Motor power	9kw/380v 3phase
Machine weight	2800kg
Machine dimension	L5780×W2930×H1360mm

Remark:

1. The production speed depends on the cutting size and the material quality.
2. Air compressor isn't included.
3. The above parameter and configuration is subject to change without notice.

www.rongdapackage.com

Cutting samples:

